



GV-Selector Mobile App.


The GV-Selector is designed for quick search through the GV-IP Camera database and clear display of camera specification comparison on your iOS or Android devices. With GV-Selector, you can select up to 3 IP cameras for specification comparison by specifying camera type and featured functions.

1.1 Specifications

Supported OS	iPhone, iPod Touch and iPad with iOS 8.0 or later
	Android smart phone and tablet with Android 4.0 or later
Functions	Camera filter
	Specification comparison of up to 3 cameras
	GV-IP Camera database update

1.2 Installing GV-Selector

You can download GV-Selector from the **App Store** or **Android Market** and install the application. The **GV-Selector** icon appears on the desktop of your mobile device.



GV-Selection icon on Android Smart phone





1.3 Main Page

Tap the **GV-Selector** icon on the desktop of your device. The GV-Selector main page appears. The instructions hereinafter are based on **Android Smart phone**.

GV-BL1210 GV-BL1300 GV-BL1300 GV-BL1500 GV-BL1510 GV-BL2400 GV-BL2410	GV-BL1510 GV-BL2400 GV-BL2410 GV-BL2500 GV-BL2510	> > > > >
GV-BL1210 GV-BL1300 GV-BL1500 GV-BL1510 GV-BL2400 GV-BL2410	GV-BL1510	>
GV-BL1210 GV-BL1300 GV-BL1300 GV-BL1500 GV-BL1510 GV-BL1510 GV-BL2400		>
GV-BL1210 GV-BL1300 GV-BL1500 GV-BL1510	GV-BL1510	>
GV-BL1210 > GV-BL1300 > GV-BL1300 >		
GV-BL1210	GV-BI 1500	>
	GV-BL1300	
□ 🖅 GV-BL1200	🗆 🚛 🦉 GV-BL1210	>
	🗆 💕 GV-BL1200	>

No.	Name	Function
1.	Filter	Specify camera type and features.
2.	Start	Tap the button after selecting up to 3 cameras to generate the specification comparison.
3.	Arrow Button	Tap the button to access the specifications of the camera.
4.	Update	Check for database update of available camera models.
5.	Previous Page	Go to the previous page.





1.4 Generating GV-IP Camera Comparison

Follow the steps below to configure the filter and generate the comparison of camera specifications.

1. On the main page, tap **Filter**. This page appears.

CATEGORY	
Camera Type	
Box	
Environment All	
Only Series	
VIDEO	
Max. Resolution All	
Wide Dynamic Range All	
Defog	I
Panorama View	
LENS	
Lens Type All	
Optical Zoom	
Replaceable Lens	
NIGHT	

2. Specify desired camera type and features, and tap the **Previous Page** button **D**. All available cameras meeting the filtering criteria are listed.


Note: For iOS devices, tap the **Back** button at the upper-left corner of the page to view the camera list.

Back	Reset
CATEGORY	
Camera Type	All >
Environment	All >
Only Series	
VIDEO	
Max Resolution	All >
Wide Dynamic Range	All >
Defog	\bigcirc
Panorama View	\bigcirc
Products (104/164)	Update





3. On the camera list, select up to 3 cameras and tap **Start** to generate the comparison.



4. Slide horizontally on the screen to switch among the comparison pages. The gray circle at the bottom of the page indicates the page you are viewing.

	BX1500-0F	BX1300-0F	BX2400-0F		
Camera					
Image Sensor	1/3" Super Low Lux CMOS	1/2.5" CMOS	1/3.2" CMOS		
Min. Illumination (Color)	0.01 Lux	0.15 Lux	0.08 Lux		
Min. Illumination (B/W)	0.01 Lux	0.1 Lux	0.05 Lux		
Min. Illumination (IR On)	0 Lux	0 Lux	0 Lux		
Shutter Speed	Auto, Manual (1/5 ~ 1/8000 sec)	Auto, Manual (1/5 ~ 1/8000 sec)	Auto, Manual (1/5 ~ 1/8000 sec)		
Gain Control	Auto	Auto	Auto		
S/N Ratio	55 dB	45 dB	47 dB		
Low Lux	No	No	No		
Super Low Lux	Yes	No	No		
WDR Pro	No	No	Yes		
WDR	Yes	Yes	No		
			N-		

5. To select other cameras for comparison, tap the **Previous Page** button to go back to the camera list.





1.5 Updating GV-IP Camera Database

To check for camera database update, tap **Update** on the main page and follow the on-screen instructions.

GV-Selector(164/164)	Filter	Start
R please input keyword		
□ 🖅 GV-BL1200		>
🗌 🚛 🖞 GV-BL1210		>
GV-BL1300		>
□ 🐨 GV-BL1500		>
GV-BL1510		>
□ 🐨 GV-BL2400		>
□ 🐨 GV-BL2410		>
□ 🐨 GV-BL2500		>
□ 💭 GV-BL2510		>
□ 🐨 GV-BL3400		>
GV-BL3410		>
□ 🐨 GV-BL5310		>
□ • GV-BX1300-0F		>
COMPARISON	UPDATE	